

Grand River Sales Ltd.

Email <u>mail@grandriversales.com</u>
Web www.grandriversales.com

SAFETY EQUIPMENT & SUPPLIES PROMOTION!

INDUSTRIAL-DUTY AIR CIRCULATING FANS

- All-metal construction
- 9.8' SJT power cord
- Stem length for pedestal: 89-124 cm
- No. of Speeds: 2
- Non oscillating
- 120 V



lel	Motor
	MATRIX INDUSTRIAL PRODUCTS

Model		Motor		CF	M	Promo
No.	Description	Type	HP	High	Low	Price
EA642*	24" Pedestal	Open	1/4	11 800	7760	420.00
EA646*	30" Pedestal	Closed	1/4	10 780	7440	520.00

^{*} Features adjustable height and a heavy-duty round base for added stability

FLAGGING TAPE

- Quick and easy way to lay out boundaries
- Non-adhesive
- Brightly coloured tape offers maximum visibility
- Width: 1.1875"
- Material: Vinyl





Model No.	Colour	Length'	Promo Price
SGQ805*	Orange	164	2.05
SGQ807*	Pink	164	2.05
SGQ806	Red	164	2.05
SGQ808	Blue	328	2.05

^{*} Fluorescent colour

ROOFER'S KIT

- 3-point adjustable harness with mating buckles
- 1 back D-ring, and 2 tear away lanyard keepers
- Rope grab with 30" energy absorbing lanyard
- 50' polyester vertical lifeline with snap hook
- Reusable roof anchor with screws
- Storage bucket and lid
- Harness: One Size





Model	MFG	Promo
No.	No.	Price
SGW578	FPRK099Y50	139.00

SPARKPLUGS® FOAM EARPLUGS

- Different colours in every package
- Fun-coloured to spark up hearing protection program
- Tapered for easy insertion in any size ear canal
- Non-irritating, smooth surface for added comfort
- NRR dB: 33
- Size: One-Size
- Certification(s): CSA Class AL



MOLDEX

Model	MFG		Qty/Box	Promo
No.	No.	Style	(Pairs)	Price
SAG838	6604	Uncorded	200	34.99/Box
SAG839	6654	Corded	100	38.99/Box
SED129	6615	Corded, Metal Detectable	100	61.95/Box

UVEX® TIRADE™ SEALED SAFETY GLASSES

- Indirect ventilation channels on the foam and subframe provide superior dust filtration keeping debris out of the eyes
- Frameless, unilens design allows for wide-field peripheral vision
- Quick-release hinge system converts easily from temples to headband
- Removable temples and standard adjustable headband included
- Standard(s) Met: CSA Z94.3, ANSI Z87+
- Must be ordered in multiples of 2




Honeywell

Model No.	MFG No.	Lens Tint	Lens Coating	Promo Price
SDL044	S4040	Clear	Anti-Fog	10.99
SDL045	S4041	Grey/Smoke	Anti-Fog	10.99
SDL046	S4042	Amber	Anti-Fog	10.25
SDL047	S4043	Silver, Mirror	Anti-Fog	11.95
SDL048	S4044	SCT-Reflect 50	Anti-Fog	12.75

UVEX® GENESIS® SAFETY GLASSES WITH HYDROSHIELD™ LENSES

- Lightweight, extremely resilient external polycarbonate frame
- Soft elastomer internal frame
- Interchangeable dual 9 base wraparound lens
- Vents the eve socket area
- Standard(s) Met: CSA Z94.3
- HydroShield ™ is a revolutionary anti-fog lens coating, permanently bonded to the lens, requiring no maintenance and no application





Honeywell

 MFG	Lens	Lens	Promo
No.	Tint	Coating	Price
S3300HS	Clear	Anti-Fog	13.35
S3301HS	Grey/Smoke	Anti-Fog	15.25

UVEX® ULTRASPEC® 2000 UVEXTREME® AF SAFETY GLASSES

- Coated 100% polycarbonate wraparound unilens design
- Adjustable temple length
- Standard(s) Met: CSA Z94.3, ANSI Z87+
- Frame Colour: Clear
- Must be ordered in multiples of 2



Honeywell

Model	MFG	Lens	Lens	Promo
No.	No.	Tint	Coating	Price
SE614	S0250X	Clear	Anti-Fog/Anti-Scratch	6.39

UVEX® SVP 200 SERIES SAFETY GLASSES

- Dielectric, 10 base wraparound lens offers optimum protection
- Frameless, very lightweight and low-profile at 15 grams perfect for all-day wear and fits most facial profiles
- Temple tips are flexible and comfortable
- Molded nosepiece
- Polycarbonate lens

 Standard(s) Met: CSA Z94.3, ANSI Z87+



Honeywell

Model No.	MFG No.	Lens Tint	Frame Colour	Order Qty*	Promo Price
ANTI-SCR	RATCH				
SGG290	SVP200	Clear	Clear	10	1.85
SGG292	SVP202	Grey/Smoke	Grey	10	1.85
ANTI-FO	G				
SGG291	SVP201	Clear	Clear	5	2.19
SGG293	SVP203	Grey/Smoke	Grey	5	2.25

^{*} Must be ordered in these multiples

UVEX® STEALTH® SAFETY GOGGLES WITH HYDROSHIELD™ LENSES

- Futuristic, low profile design for chemical splash and impact protection
- Toric lens provides superior optics and peripheral vision
- Easiest lens replacement system available
- Rx insert available
- Ventilation Type: Indirect
- Standard(s) Met: CSA Z94.3, ANSI Z87+
- Band Type: Neoprene



Honeywell

Model	MFG	Lens	Lens	Promo
No.	No.	Tint	Coating	Price
SDL055	S3960HS	Clear	Anti-Fog	17.35
SDL056	S3961HS	Grey/Smoke	Anti-Fog	19.49

UVEX CLEAR® PLUS PERMANENT LENS CLEANING STATION

- Swiftly lifts and removes dirt, dust, debris, oil
- Reduces visible soil to below detectable limits (.2 to .3% haze)
- Streak-free, residue-free, haze-free results
- Alcohol and silicone-free
- Material: Cardboard
- 30" L x 4" D x 14" H
- Includes:

One (1) 16 oz. bottle of Uvex Clear Plus Cleaning Solution 4 boxes of 500 tissues 3.5" x 4.5" mirror



Model	MFG	Promo
No.	No.	Price
SHB945	S485	48.95

Honeywell

NORTH® HIGH PERFORMANCE® **HEADGEAR**

- Made from Noryl®, the same material used in Fibre-Metal®'s welding helmets
- Exclusive channel grip system mounts windows and locks them in place to form a perfect seal from dust, dirt and debris
- Deeper 4" crown protector extends protection without increasing weight
- Wide vision 8" x 17" wraparound visors provide 40% more protection area than standard size faceshields
- Visors are 0.060" thick for an extra margin of protection
- Suspension Type: Ratchet



Faceshield

Honeywell

SE938

Model No.	MFG No.	Description	Promo Price
SAM376	F400CSA	Headgear	41.95
PROPION	ATE FACESHIE	LDS	
SAM377	4178CL	Clear	10.99
SAM403	4178IRUV5	Green, IR/UV5 Shade 5.0	30.35

NORTH® THE EVEREST HARDHATS

- Provide protection from top, sides, front and back
- High-density polyethylene outer shell
- Universal slots
- Full all around brim for UV ray and rain protection
- CSA Z94.1 type 2, Class E



Promo Price	Colour	MFG No.	Model No.
59.95	33.33.	A119R010000	SE933
59.95		A119R030000	SE935
59.95	<u> </u>	A119R150000	SE938

NORTH ZONE™ HARDHATS

- Slots for cap-mounted earmuffs, face shields and other PPE accessories
- 3-level height adjustment (Low, Medium, High) for greater stability, balance and retention
- Removable, replaceable rear comfort cradle for improved fit and comfort
- Easy-grip ratchet for smooth and precise headband adjustment, even when wearing gloves
- Certification(s): CSA Type 1, ANSI Type I
- Class: ANSI Class E, CSA Class E



Honeywell

Model No.	MFG No.	Colour	Promo Price
SFM517	N10R010000	White	21.95
SFM518	N10R020000	Yellow	21.95
SFM519	N10R030000	Orange	21.95

UVEX® BIONIC™ SHIELDS

- Lightweight and balanced, ergonomic design for extended use
- Extended chin and top-of-head protection
- Enhanced protection from airborne debris
- Excellent optics and increased visibility
- 16-1/2" W x 8-1/2" H x 0.06" Thick
- Material: Polycarbonate
- Suspension Type: Ratchet
- Standard(s) Met: CSA Z94.3

Honeywell

c	۸ĸ	42	4
3/	HΝ	42	. 1

Model No.	MFG No.	Description	Promo Price
SAK421	S8500	Clear uncoated faceshield	36.49
SAK422	S8510	Clear anti-fog hardcoat faceshield	54.49
FACESHIE	LDS		
SAK423	S8550	Clear uncoated	8.09
SAK424	S8555	Clear anti-fog hardcoat	27.99
SAK425	S8560	Uncoated, Shield Tint: 3	29.99
SAK426	S8565	Uncoated, Shield Tint: 5	34.99

TURBOSHIELD™ FACESHIELD

Honeywell UVEX

- Features hardcoat/anti-fog polycarbonate
- Protection from debris impact and chemical splash, must be used in conjunction with primary eye protection
- Provides superior comfort for longer wear, the easiest visor exchange available, and optimal balance when used with a hard hat
- Perfect for workers exposed to falling or flying objects, impact, splash, and airborne debris; it can also be comfortably worn with most goggles, respirators and earmuffs
- Standard(s) Met: CSA Z94.3, ANSI Z87+




Faceshield sold separately

Model No.	MFG No.	Description	Promo Price
SEJ801	S9510	Hardhat Adaptor	30.75
SEJ802	S9555	Clear Faceshield, 12-1/2" x 8-1/2"	39.99

NORTH ZONE™ FULL-BRIM HARDHATS

- 3-level height adjustment (Low, Medium, High) for greater stability, balance and retention
- Ergonomic headband for easy adjustment to 3 different sizes (S, M/L and XL)
- · Moisture-wicking, breathable sweatband; easily removable, washable and replaceable
- Removable, replaceable rear comfort cradle for improved fit and comfort
- Suspension Type: Ratchet
- Certification(s): CSA Type 1, ANSI Type I
- Class: CSA Class E





RZ PONCHO • 0.10-mm thick unsupported single-ply PVC material • Ultrasonically-welded seams • One size fits all

- Colour: Yellow



Model	Promo
No.	Price
SEH121	4.45

RZ100 RAIN SUITS

- 0.35 mm thick PVC/polyester/PVC material
- Jacket features storm flap, dome snaps, two patch pockets, corduroy collar, detachable hood, cape back, and underarm vents
- Bib overall pants feature non-conductive fasteners, fly front and adjustable suspenders
- Ankle and cuff take-up snaps
- Ultrasonically-welded seams

Model No.	Size	Promo Price
SEH078	Small	14.95
SEH079	Medium	14.95
SEH080	Large	14.95
SEH081	X-Large	14.95
SEH082	2X-Large	14.95
SEH083	3X-Large	14.95
SEH084	4X-Large	14.95





RZ200 LONG RAIN COATS

- 0.35 mm material thickness, yellow PVC/Polyester/PVC material
- 47" long coat features storm flap, dome snaps, two patch pockets, corduroy collar and detachable hood
- Cape back and underarm vents
- Cuff take-up snaps
- Flame resistant
- Ultrasonically welded seams

Model No.	Size	Promo Price
SEH085	Small	13.35
SEH086	Medium	13.35
SEH087	Large	13.35
SEH088	X-Large	13.35
SEH089	2X-Large	13.35
SEH090	3X-Large	13.35
SEH091	4X-Large	13.35





RZ300 RAIN SUITS

- 0.20 mm thick unsupported yellow PVC material
- Jacket features storm flap, dome snaps, two patch pockets and a detachable hood
- Bib overall pants feature fly front
- Ankle and cuff take-up snaps
- Ultrasonically-welded seams

Model		Promo
No.	Size	Price
SEH092	Small	14.35
SEH093	Medium	14.35
SEH094	Large	14.35
SEH095	X-Large	14.35
SEH096	2X-Large	14.35
SEH097	3X-Large	14.35
SEH098	4X-Large	14.35



RZ500 FLAME RESISTANT RAIN SUITS

- 0.35 mm material thickness, yellow tear-resistant PVC/Nylon/PVC material
- Lightweight material offers greater flexibility and comfort
- Jacket comes with storm flap, dome snap fasteners, two patch pockets and detachable hood
- Cape back vent on jacket with underarm vents
- Bib overalls feature fly front, adjustable suspenders and adjustable waist snaps
- Standard(s) Met: CGSB 155.20

Model		Promo
No.	Size	Price
SEH099	Small	22.50
SEH100	Medium	22.50
SEH101	Large	22.50
SEH102	X-Large	22.50
SEH103	2X-Large	22.50
SEH104	3X-Large	23.25
SEH105	4X-Large	23.95



RZ1000 HIGH-VISIBILITY RAIN SUITS

- 100% 300D polyester oxford material
- Features ID pocket, snaps, zipper, two patch pockets and detachable hood
- Adjustable wrist cuffs
- Comes with adjustable suspenders
- Adjustable ankle & waist snaps
- Colour: High Visibility Lime-Yellow
- Reflective Stripe Colour: Silver
- Standard(s) Met: CSA Z96 Class 3 Level 2

Model		Promo
No.	Size	Price
SGP356	Small	62.20
SGP357	Medium	62.20
SGP358	Large	62.20
SGP359	X-Large	62.20
SGP360	2X-Large	62.20
SGP361	3X-Large	62.20
SGP362	4X-Large	62.20



SAFETY VESTS

- High-visibility lightweight polyester mesh provides daytime visibility
- 2" yellow reflective stripes
- Bright reflective stripes provide 360° night-time visibility
- 5-point tear-away features on shoulders, sides and front for easy quick release
- Colour: High Visibility Orange

Model No.	Size	Promo Price
SEF093	Medium	7.50
SEF094	Large	7.50
SEF095	X-Large	7.50
SEF096	2X-Large	7.50



ZEN/TH°

ZEN/TH®

FLAME-RESISTANT SURVEYOR VESTS

• Lightweight and comfortable, fluorescent FR-treated polyester mesh fabric provides daytime visibility and flame resistance

• 4" orange/silver reflective stripes offer maximum nighttime visibility

- 5-point tear-away feature on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- Compliant with CSA testing under CAN/CGSB standard 4.2 No. 27.10 for flame resistance of textile fabrics
- Standard(s) Met: CSA Z96 Class 2 Level 2

Model			Promo
No.	Colour	Size	Price
SGF140	High Visibility Lime-Yellow	Medium	15.75
SGF141	High Visibility Lime-Yellow	Large	15.75
SGF142	High Visibility Lime-Yellow	X-Large	15.75
SGF143	High Visibility Lime-Yellow	2X-Large	15.75



CSA COMPLIANT T-SHIRTS

- Fluorescent 100% polyester "bird's eye" mesh material
- 3" orange/silver fluorescent dual reflective stripes
- Upper left breast pocket with hook and loop closure
- Two radio loops
- Standard(s) Met: CSA Z96 Class 2 - Level 2





Model No.	Colour	Size	Promo Price
SEF109	High Visibility Lime-Yellow	Medium	13.90
SEF110	High Visibility Lime-Yellow	Large	13.90
SEF111	High Visibility Lime-Yellow	X-Large	13.90
SEF112	High Visibility Lime-Yellow	2X-Large	13.90

CSA COMPLIANT TRAFFIC SAFETY VESTS

- Lightweight and comfortable, fluorescent sport mesh knit fabric
- 360° horizontal stripe around torso, two vertical stripes on front and 'X' on back
- 4" orange/silver reflective stripes offer maximum nighttime visibility
- Front hook & loop closure permits optimal fitting
- Material: Polyester

• Standard(s) Met: CSA Z96 Class 2 - Level 2



SGI277

Model			Promo
No.	Colour	Size	Price
SGI277	High Visibility Lime-Yellow	Medium	9.25
SGI278	High Visibility Lime-Yellow	Large	9.25
SGI279	High Visibility Lime-Yellow	X-Large	9.25
SGI280	High Visibility Lime-Yellow	2X-Large	9.25



CSA COMPLIANT HIGH VISIBILITY SURVEYOR VESTS

- Lightweight and comfortable fluorescent sports mesh knit fabric provides daytime visibility
- 4" yellow/silver reflective stripes offer maximum night-time visibility
- 5-point tear-away feature on shoulders, sides and front for easy quick release
- Safety D-ring access slot
- Includes:
- Clear plastic pocket for ID badges
- Material: Polyester
- Standard(s) Met: CSA Z96 Class 2 Level 2



SEF101

Model No.	Colour	Size	Promo Price
SEF101	High Visibility Orange	Medium	11.95
SEF102	High Visibility Orange	Large	11.95
SEF103	High Visibility Orange	X-Large	11.95
SEF104	High Visibility Orange	2X-Large	11.95



ZENTH

ARM & LEG BANDS

- 2" lime-yellow/silver reflective bands
- Hook and loop closure permits optimal fit
- Available in various lengths
- Sold individually



Length"	Promo Price
10	2.35
12	2.35
13.5	2.35
15	2.35
17	2.35
19	2.35
	10 12 13.5 15 17

POLYPROPYLENE HOODED COVERALLS

• Polypropylene permits breathability and comfort

• Offers protection against non-hazardous and non-toxic liquids, dust and particles

• Economical disposable option for protection in grimy work environments

• Elastic wrists, ankles and hood

• Colour: Blue • Fabric Weight: 1.33 oz/m²

• Qty/Case: 50

Model No.	Size	Promo Price
SEK356	Medium	3.09/Ea.
SEK357	Large	3.09/Ea.
SEK358	X-Large	3.09/Ea.
SEK359	2X-Large	3.09/Ea.
SEK360	3X-Large	3.15/Ea.
SEK361	4X-Large	3.25/Ea.
SEK362	5X-Large	3.35/Ea.



MICROPOROUS HOODED COVERALLS

- Zipper front with storm flap, attached hood, elastic wrists and ankles
- Microporous film laminated to a polypropylene substrate

• Offers protection against liquid, dust, and light chemical splashes

Individually packaged

• Fabric Weight: 1.41 oz/yd² (48 g/m²)



Model No.	Size	Qty /Case	Promo Price
SGM432	Medium	50	4.39/Ea.
SGM433	Large	50	4.39/Ea.
SGM434	X-Large	50	4.39/Ea.
SGM435	2X-Large	50	4.39/Ea.
SGM436	3X-Large	50	4.55/Ea.
SGM437	4X-Large	50	4.65/Ea.
SGM438	5X-Large	50	4.79/Ea.



PREMIUM HOODED COVERALLS

• Polypropylene permits breathability and comfort

• Offers protection against non-hazardous and non-toxic liquids, dust and particles

• Economical disposable option for protection in grimy work environments

• Elastic wrist, ankle and hood

• Features front left breast pocket

· Colour: Blue

• Fabric Weight: 1.77oz/m² (60 g/m²)

Model		Qty	Promo
No.	Size	/Case	Price
SEK370	Medium	50	3.89/Ea.
SEK371	Large	50	3.89/Ea.
SEK372	X-Large	50	3.89/Ea.
SEK373	2X-Large	50	3.99/Ea.
SEK374	3X-Large	50	4.05/Ea.
SEK375	4X-Large	50	4.15/Ea.
SEK376	5X-Large	50	4.29/Ea.





TYVEK® 400 HOODED COVERALLS

• Features include serged seams, attached hood, front zipper closure, elastic wrists and ankles

• The best balance of protection, durability and comfort

• Inherent barrier protection against dry particulate hazards

• Even after abrasion, stops sub-micron particles better than reusable garments

• Qty/Case: 25

· Colour: White

Model No.	MFG No.	Size	Promo Price
SAS042	TY127S-MD	Medium	9.99/Ea.
SAS043	TY127S-LG	Large	9.99/Ea.
SAS044	TY127S-XL	X-Large	9.99/Ea.
SAS045	TY127S-2X	2X-Large	10.59/Ea.
SAS046	TY127S-3X	3X-Large	11.29/Ea.
SAS047	TY127S-4X	4X-Large	12.19/Ea.



TYVEK® 400 D HOODED COVERALLS

- Dual construction provides the durability and comfort of Tyvek® fabric on the front, with the increased breathability of ProShield® fabric on the back
- Tyvek® Dual garments take advantage of the performance of two DuPont fabrics and enables each one to provide you with the best of its performance when you need it most
- Designed for specific applications where demanding comfort requirements are combined with limited protective requirements for frontal exposure

Size

Large

X-Large

2X-Large

• Well suited for workers who are involved in a variety of strenuous activities ∢DUPNNT> that can lead to heat stress

 Qty/Case: 25 Model MFG

No. SEH058 TD127-MD Medium

SEH059 TD127-LG

SEH060 TD127-XL

SEH061 TD127-2X

SEH062 TD127-3X

y v Cit.
Promo
Price
9.39/Ea.
9.39/Ea.
9.39/Ea.
9.99/Ea.

Tuvek 3X-Large White, Blue 10.59/Ea. **SEH063** TD127-4X 4X-Large White, Blue **11.49/Ea**.

TYVEK® 500 COVERALLS

- Category III, type 5-B and 6-B chemical protective clothing
- Protects against radioactive contamination (EN 1073-2)
- Protection against infective agents (EN 14126) including resistance to penetration by blood and body fluids using synthetic blood (ISO 16603)
- Antistatic treatment on both sides
- Colour: White
- Qty/Case: 25

100	PUNIX	
T	yve	k

			_
Model No.	MFG No.	Size	Promo Price
SGH412	TY198S-SM	Small	11.29/Ea.
SGH413	TY198S-MD	Medium	11.29/Ea.
SGH414	TY198S-LG	Large	11.29/Ea.
SGH415	TY198S-XL	X-Large	11.29/Ea.
SGH416	TY198S-2X	2X-Large	11.99/Ea.
SGH417	TY198S-3X	3X-Large	12.79/Ea.
SGH418	TY198S-4X	4X-Large	13.79/Ea.



HEAVYWEIGHT NITRILE GLOVES

• Fully textured diamond pattern provides maximum wet and dry grip

• Exceptional tactile sensitivity

• Beaded cuff for added strength

• Protects against oil, grease and organic solvents

- Latex and powder-free
- Finish: Fully Textured
- Colour: Black
- Accepted for use in Canadian food processing facilities
- Grade: AQL 1.5
- Qty/Box: 50



Model No.	Size	Length"	Thickness	Promo Price
SEK261	Small	9.5	8-mil	11.89/Box
SEK262	Medium	9.5	8-mil	11.89/Box
SEK263	Large	9.5	8-mil	11.89/Box
SEK264	X-Large	9.5	8-mil	11.89/Box
SEK265	2X-Large	9.5	8-mil	13.15/Box

GRIPPER GLOVES

- Fully textured ultra gripper tire pattern provides maximum wet and dry grip
- Exceptional tactile sensitivity
- Beaded cuff for added strength
- Protects against oil, grease and organic solvents
- Material: Nitrile
- Finish: Fully Textured
- Colour: Orange
- Latex and powder-free
- Non-Medical
- Qty/Box: 100



Model No.	Size	Length"	Thickness	Promo Price
SGY265	Medium	9.5	7-mil	20.75/Box
SGY266	Large	9.5	7-mil	20.75/Box
SGY267	X-Large	9.5	7-mil	20.75/Box
SGY268	2X-Large	9.5	7-mil	20.75/Box

SOLVEX® 37-145 GLOVES

- High performance nitrile compound provides an outstanding combination of chemical resistance and strength
- Offers superior snag, puncture and abrasion protection over rubber or neoprene gloves
- · High levels of flexibility, comfort and dexterity
- Won't not pr
- Cuff S
- Inner I

SAX987 3714511100 X-Large

SAX988 3714511110 2X-Large

not pro Cuff Sty Inner Li	omote conta vle: Gauntlet ning: Unline	ct derma	atitis	d does		
	ed for use in rocessing fa		ian	A	nsell	
Model	MFG				Promo	
Model No.	MFG No.	Size	Length"	Thickness	Promo Price	e CCIII (II
No.		Size Small	Length"	Thickness 11-mil		e CCI CI B "FO"
No. SAX984	No.	Small	13		Price	• CCB CD

11-mil

11-mil

1.85/Pair

1.85/Pair

13

13



SAX984

EXAMINATION GRADE GLOVES

- Pure 100% premium nitrile
- Textured surface provides superior wet and dry grip
- Exceptional tactile sensitivity
- Beaded cuff for added strength
- Finish: Fully Textured
- Latex and powder-free
- Accepted for use in Canadian food processing facilities
- Non-Medical
- Grade: AQL 1.5
- Length: 9.5"

- Thickness: 4.5-mil
- Qty/Box: 100



Model No.	Size	Promo Price
SEA918	X-Small	7.79/Box
SAP324	Small	7.79/Box
SAP325	Medium	7.79/Box
SAP326	Large	7.79/Box
SAP327	X-Large	7.79/Box
SEA919	2X-Large	8.99/Box

SNORKEL® 04-644 GLOVES

- Jersey lining provides cushioned comfort and moderate insulation
- Excellent wet grip
- Optimum abrasion resistance
- Excellent chemical resistance to petrochemicals and acids
- Cuff Style: Pinked
- Shell Material: PVC
- Length: 12"
- Thickness: 63-mil



Model	MFG		Promo
No.	No.	Size	Price
SAX959	4644080	Medium	4.39/Pair
SAX960	4644090	Large	4.39/Pair
SAX961	4644100	X-Large	4.39/Pair
SAX962	4644110	2X-Large	4.39/Pair

VERSATOUCH® 37-501 GLOVES

- Excellent resistance to many solvents and oil based chemicals
- Very good abrasion resistance
- Flexible and comfortable for an excellent dexterity
- Cuff Style: Gauntlet
- Shell Material: Nitrile
- Inner Lining: Flock-Lined
- Length: 13"
- Thickness: 16-mil



Model No.	MFG No.	Size	Promo Price
SFE989	37501065	Small	2.55/Pair
SFE990	37501075	Medium	2.55/Pair
SFE991	37501085	Large	2.55/Pair
SFE992	37501095	X-Large	2.55/Pair
SFF993	37501105	9X-l arge	9.55/Pair

SFE989

SAX959

PARKING CURBS

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil and weather variations
- Safer and more durable than concrete or plastic; will not chip, crack or deform
- Black with bright yellow reflective stripes for maximum visibility

 Easily installed with 14" rebar spikes for permanent or temporary installation (sold separately)




Model No.	Length	Spikes Required	Promo Price
PARKING CURBS			
SEH140	3'	3	37.45
SEH141	6'	4	81.75
REBAR SPIKE			
SEH144	14"	-	3.70

TRIANGULAR REFLECTOR KIT

• Ideal for increasing visibility around disabled vehicles

 Fast and easy to set up and stow away



 Instructions for proper use are printed on the case and on each triangle

 Kit includes 3 Triangles and a red carry case

• Meets DOT FMVSS 125 standards

Model	Promo
No.	Price
SGD773	31.45

PORTABLE MOBILE BARRIER

• Mobile safety barrier for indoor applications

• Flexible panels allow multiple configurations, including straight, curved or round

 Includes four locking straps for easy storage

• Tilts and rolls easily

• Material: Plastic

• Expanded Length: 13'

• Height: 40"

• Colour: Yellow





Model	Promo
No.	Price
SGO660	449.00

SPEED BUMPS

- 1-piece lightweight 100% recycled rubber
- Resistant to corrosion, moisture, oil, weather variations and UV light
- Perfect for speed reduction in parking lots, school zones and areas with heavy pedestrian traffic
- Black with bright yellow reflective stripes for maximum daytime visibility
- Reflectors offer maximum nighttime visibility

 Easily installed with 14" rebar spikes for permanentor temporary installation (sold separately)

• Capacity: Approx. 18 tons at 10 km/h

• 11" W x 2" H



Model No.	Length	Spikes Required	Promo Price
SPEED BUMPS			
SEH142	4'	5	89.25
SEH143	6'	4	127.00
REBAR SPIKE			
SEH144	14"	-	3.70

BARRICADE TAPE

- Warn against hazards by restricting entry to dangerous areas
- Ideal for both indoor and temporary outdoor usage
- Made of polyethylene
- Grade: Standard

ZENTH®

• Thickness: 1.5 mils





Model No.	Message	Colour	Roll Size	Promo Price
SEK397	Caution	Black on Yellow	3" x 1000'	8.20
SEK398	"Attention"	Black on Yellow	3" x 1000'	8.20
SEK399	Danger	Black on Red	3" x 1000'	8.20
SDS739	Danger	Black on Yellow	3" x 1000'	8.20

PENNANT STRINGS • Used to draw attention at events,	ZENOTH® Safety Products
work areas or construction sites	4
String Length: 60'	
• Pennant Size: 9" x 12"	
 Number of Pennants: 36 	
Flag Material:	
Polyethylene	
SGG313	A ,

Model		Promo
No.	Colour	Price
SGG311	Red	4.55
SGG312	Yellow	4.55
SGG313	Multicolour	5.20

COLOURED CONES

- 1-piece lightweight PVC construction offers flexibility and durability
- Temperature resistance in hot and cold environments
- Ideal for parking lots, sporting events, festivals and crowd delineation
- Choice of six colour coding options
- Orange





Model	Base Dim.			im.	Promo
No.	Height"	W"	X	L"	Price
SEH138	18	10-1/4	Х	10-1/4	11.00
SDP595	28	14	X	14	17.65

PREMIUM TRAFFIC CONES

- 100% PVC construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- High-density interlocking base
- Available with 6" and 4" 3MTM high-intensity collars
- Orange



Model	Base Dim.					Promo
No.	Height"	W"	X	Ľ"	Collar"	Price
SEB768	12	8-5/8	X	8-5/8	-	7.20
SEB769	18	10-1/4	Χ	10-1/4	-	10.95
SEB771	28	13-3/4	Χ	13-3/4	-	21.10
SEB770*	18	10-1/4	Χ	10-1/4	6	16.20
SEB826**	28	13-3/4	Χ	13-3/4	4	23.35
SEB772*	28	13-3/4	X	13-3/4	6 & 4	29.05
SGD774*	36	14-3/4	Χ	14-3/4	6 & 4	37.70

ZENTH

RETRACTABLE CONE BARS

- Designed for use with traffic cones and delineator posts
- Permits to easily and quickly setup a safety barrier
- Lightweight design permits ease of transport and setup
- Made of high quality ABS materials for best durability
- Fluorescent colour for enhanced daytime visibility



Model	Collapsed	Extended	Colour	Promo
No.	Length	Length		Price
SDP614*	4'5"	7'5"	Black/Orange	30.10
SGS309	4'3"	7'2"	Black/Yellow	9.70
3G3309	4.3	7.2	Black/ Yellow	

^{*3} $M^{\text{\tiny{TM}}}$ Reflective tape offers maximum nighttime visibility and safety



- excellent flexibility and durability

 Temperature resistance in hot and cold environments
 - Fluorescent orange colour provides high visibility
 - Available with 6" and 4" reflective collars
 High-density interlocking base offers maximum stability

SEF027



Model	Base Dim.					Promo
No.	Height"	W"	x	L"	Collar"	Price
SEF026*	18	10-1/4	Х	10-1/4	6	13.00
SEF027**	28	13-3/4	X	13-3/4	4	22.00
SEF028*	28	13-3/4	X	13-3/4	6 & 4	24.40

 $^{^{\}ast}\mbox{Meets}$ Minister of Transport regulations for Quebec, Ontario and Alberta

PREMIUM DELINEATOR POSTS

- Standard 42" high post with indentations for easier grip
- 100% LDPE construction offers maximum flexibility and durability
- Superior temperature resistance in hot and cold environments
- Fluorescent orange colour provides high visibility
- Two pre-applied 4" 3MTM high intensity reflective tape collars
- Handle Height: 5-1/2"





SGG105

Model		Base	Promo
No.	Base	Dimensions"	Price
SEC153	Octagonal with handle	16 x 16	30.40
SGG105	Rectangular	15 x 17	31.90

HIGH-VISIBILITY DELINEATOR POSTS

- Standard 42"-high post with indentations for easier grip
- 100% LDPE construction offers maximum flexibility and durability
- Fluorescent orange colour provides high visibility
- Two pre-applied 4" high intensity reflective tape collars
- Perfect for parking lots, hotels and airports



Model No.	Base	Base Dimensions"	Promo Price
SGJ239	Octagonal with handle	16 x 16	27.70
SGJ240	Rectangular	15 x 17	27.20

ZEN/TH

^{*} Meets Minister of Transport regulations for Quebec, Ontario and Alberta

^{**} Meets Minister of Transport regulations for Ontario and Alberta

^{**} Meets Minister of Transport regulations for Ontario and Alberta

STANDARD V-SERIES LANYARD

- Meets CSA Z259.11-17 standard for shock-absorbing safety lanyards, with a current selection of standard (68–140 kg) and lightweight (50–105 kg) worker options
- 36CL large snap hook
- Includes a clear, durable protective cover on the labels to increase service life, and allow for easy inspection
- Length: 6'
- CSA Minimum Mass: 150 lbs.
- CSA Maximum Mass: 310 lbs.
- Harness Connection: Snap Hook
- Anchorage Connection: Rebar Hook
- Material: Polyester
- Shock Absorber Type: Pack
- No. of Legs: 2



Model	MFG	Promo
No.	No.	Price
SGK958	10188101	119.00

V-TEC™ PERSONAL FALL LIMITER

- Compact and lightweight
- New design eliminates the need for an external energy-absorber outside of the housing
- High-impact polycarbonate transparent housing allows for easy visual inspection of internal components
- 360° fully rotating attachment point for complete flexibility
- Lifeline Length: 6'
- No. of SRLs: 2
- Lifeline Material: Web
- Swivel
- Unit Connector: Carabiner
- Unit Connector Material: Steel
- Lifeline Connector: Rebar Hook
- Lifeline Connector Material: Aluminum
- Certified to CSA standard Z259.2.2
- CSA Certification: Type 1

Model	MFG	Promo
No.	No.	Price
SGC215	63111-00ACA	509.00

V-FORM+TM HARNESSES

- Steel leg and chest buckles
- Polyester, nanotechnology-treated web
- Racing style
- The patent-pending Race FORMTM buckle allows for a close, comfortable harness fit – eliminating the need for bulky chest straps or cumbersome buckles
- Type: Fall Arrest
- CSA Class: A
- D-Rings: Back
- Leg Strap Connections: Tongue Buckle



$\Lambda\Lambda \subseteq T$
The Safety Company

Model	MFG	Weight		Promo
No.	No.	Capacity	Size	Price
SGZ401	10205845	230 lbs.	Universal	159.00
SGZ419	10206086	400 lbs.	X-Large	159.00

MILLER® H500 INDUSTRY STANDARD FULL BODY HARNESSES

- Quick and easy-to-fit and adjust
- Improved visible stitch pattern
- Clearly identifiable fall-impact indicators
- Smart anti-tangle easy-donning solution
- Type: Fall Arrest
- CSA Class: A

- Weight Capacity: 420 lbs.
- D-Rings: Back
- Leg Strap Connections: Tongue Buckle
- Chest Strap Connections: Pass-Through/Mating
- D-Ring Material: Steel

Honeywell

Model No.	MFG No.	Size	Promo Price
SGV770	H5ISP311001	Small/Medium	97.95
SGV771	H5ISP311002	Universal	97.95
SGV772	H5ISP311003	9X-Large	97.95

MILLER® HPTM SHOCK-ABSORBING LANYARD

- Features a heavy-duty back-up safety strap
- SofStop® Energy Absorber pack is designed with a specially-woven inner core that smoothly expands to reduce fall arrest forces
- Length: 6'
- CSA Minimum Mass: 120 lbs.
- CSA Maximum Mass: 335 lbs.
- Harness Connection: Locking Snap Hook
- Anchorage Connection: Locking Snap Hook
- Material: Polyester
- Shock Absorber Type: Pack
- No. of Legs: 1
- Connectors' Gate Load Capacity: 3600 lbs.
- Snap Hook Gate Opening: 3/4"
- Certification(s): CSA Standard Z259.11

Model	MFG	Promo
No.	No.	Price
SGT476	M1FSFS-WS6C	128.95

MILLER® RELIEF STEPTM SUSPENSION TRAUMA STRAPS

- Allows the user to "stand up" in their harness, permitting the ability to move and flex leg muscles
- Provides support and enhances blood circulation until rescue
- Small and lightweight, can be attached to any brand of full-body harness
- Utilizing two devices per harness (one for each leg/ foot) is recommended to assure greater user comfort
- Sold per each

Honeywell

Model	MFG	Promo
No.	No.	Price
SAK162	9099X/12-H5	38.95



Honeywell



CONSTRUCTION STYLE **FULL-BODY HARNESS**

- Fixed D-ring reduces the need for readjustment throughout the workday
- Modern design gives the harness a fresh and sleek look
- Auto-resetting lanyard keeps for fast and easy parking of snap hooks and carabiners
- Impact indicators make it easy to inspect the harness for prior damaging impact loads
- Certified to CSA standard Z259.10
- Weight Capacity: 420 lbs.
- Size: Medium/Large



Model	Mfg.	D-Rings	Leg	CSA	Promo
No.	No.		Connections	Class	Price
SGI148	1161309C	Back, Side	Tongue Buckle	A,P	169.00

PRO™ SHOCK ABSORBING LANYARD

- Lightweight user friendly design
- PVC shock pack with protected label
- Abrasion resistant polyester webbing
- Energy absorbing design limits fall arrest forces
- Length: 3'
- CSA Minimum Mass: 121 lbs.
- CSA Maximum Mass: 308 lbs.
- Harness Connection: Locking Snap Hook
- Anchorage Connection: Locking Snap Hook
- Material: Polyester
- Shock Absorber Type: Pack
- No. of Legs: 1



Model	MFG	Promo
No.	No.	Price
SES784	1341002C	87.99

SQUIDS® 3100 TOOL LANYARDS

- Nylon tubular elastic material stretched to allow flexibility in use and to help absorb the impact of a dropped tool
- Lightweight aluminum carabiner quickly attaches to a wide range of locations
- Reflective stitching runs the length of the product for added visibility
- All lanyards have a maximum working capacity of 10 lbs., sewn directly on to the product
- Style: Bungee
- Connector Type: Carabiner/Loop



Model	MFG		Promo
No.	No.	Colour	Price
TEP213	19002	Black	13.95
SEE102	19003	Lime	13.95

EXOFIT™ X300 COMFORT **CONSTRUCTION SAFETY HARNESSES**

- Revolving torso adapters help to adjust harness fit with ease and speed and lock webbing into place to maintain a comfortable and safe harness fit
- Equipped with anti-sliding dorsal D-ring pad to help greatly reduce dorsal D-ring slide
- Integrated easy-link SRL adapter helps you quickly and easily connect and disconnect personal SRLs
- Auto-locking quick connect buckles secure contact with webbing, helping reduce the need to readjust
- Type: Work Positioning, Fall Arrest
- CSA Class: AP

- Weight Capacity: 310 lbs.
- D-Rings: Back Side
- Leg Strap Connections: Quick-Connect
- Chest Strap Connections: Quick-Connect







000000

Model	MFG	Size	Promo
No.	No.		Price
	1113124C	Medium	529.00
	1113127C	Large	529.00

SQUIDS® 3001 TOOL LANYARD

- Self-setting pawls set desired lanyard length up to 48"
- ABS thermoplastic housing for ultimate durability
- Nickel-plated swiveling top ring for 360 degree rotation
- Stainless steel carabiners for corrosion resistance
- Style: Retractable
- Connector Type: Carabiner/Loop
- Load Rating: 2 lbs.
- Length: 48"

Model	MFG	Promo
No.	No.	Price
SEM787	19301	47.95

SQUIDS® HARDHAT TOOL LANYARDS

- Coil design reduces lanyard length and prevents snag and tangle hazards while maintaining the workers range of motion
- Comfortably attaches to hard hats and other headwear to prevent item from falling
- Buckle connecting lanyards features a double lock plastic buckle that attaches to your fall protection
- Clamp connecting lanyards feature an easy release clamp that attaches to just about anything
- Load Rating: 2 lbs.







Model No.	MFG No.	Connector Type	Length"	Colour	Promo Price
3157 SDL089 SDL090	19156 19157	Clip/Loop Clip/Loop	12 - 30 12 - 30	Black Lime	7.35 7.35
3158 SDL091 SDL092	19158 19159	Clamp/Loop Clamp/Loop	12 - 48 12 - 48	Black Lime	7.35 7.35



FLAMMABLE STORAGE CABINETS

- Double-wall 18-gauge welded steel construction with 1-1/2" air space
- Dual 2" capped vents with flame arrestors
- Door type: Manual







Model	Cap.	Dimensions	No. of	Promo
No.	gal.	W" x D" x H"	Shelves	Price
SDN646	30	43 x 18 x 44	1	1125.00
SDN647	45	43 x 18 x 65	2	1389.00
SDN648	60	34 x 34 x 65	2	1659.00
SGU586	90	43 x 34 x 66	2	1999.00

PAINT/INK CABINETS

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- Door Type: Manual
- Standard(s) Met: NFPA, OSHA, FM







SDN653

Model No.	Cap. gal.	Dimensions W" x D" x H"	No. of Shelves	Promo Price
SDN649	20	23 x 18 x 44	1	1049.00
SDN650	45	43 x 18 x 44	2	1279.00
SDN651	60	43 x 18 x 65	2	1725.00
SDN652	96	34 x 34 x 65	2	2199.00

CORROSIVE LIQUIDS CABINETS

- Double-wall 18-gauge welded steel construction with 1 1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Includes two polyethylene trays
- Recessed handle
- No. of Doors: 2
- Door Type: Manual
- Standard(s) Met: NFPA, OSHA, FM





Model No.	Cap. gal.	Dimensions W" x D" x H"	No. of Shelves	Promo Price
SDN653	22	35 x 22 x 35	1	1065.00
SDN654	30	43 x 18 x 44	1	1339.00
SDN655	45	43 x 18 x 65	2	1599.00

FLAMMABLE STORAGE CABINETS

- Double-wall 18-gauge welded steel construction with 1-1/2" air space
- Dual 2" capped vents with flame arrestors
- Recessed handle

- Door type: Manual
- Standard(s) Met: NFPA, OSHA, FM





Model	Cap.	Dimensions	No. of	No. of	Promo
No.	gal.	W" x D" x H"	Doors	Shelves	Price
SGU584	4	17 x 18 x 22	1	1	569.00
SDN642	12	23 x 18 x 35	1	1	669.00
SGU585	12	43 x 18 x 18	2	1	865.00
SDN643	16	23 x 18 x 44	1	1	999.00
SDN644	22	35 x 22 x 35	2	1	969.00
SDN645	24	43 x 12 x 44	2	2	985.00

PESTICIDE STORAGE **CABINETS**

- Provides safe, secure and controlled storage for pesticides, insecticides, herbicides and other turf chemicals
- Double-wall 18-gauge welded steel construction with 1-1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open to a full 180° for easy access
- No. of Doors: 2
- Door Type: Manual
- Standard(s) Met: FM, NFPA, OSHA





Model	Cap.	Dimensions	No. of	Promo
No.	gal.	W" x D" x H"	Shelves	Price
SGD359	22	35 x 22 x 35	1	1045.00
SGD360	30	43 x 18 x 44	1	1335.00
SGD361	45	43 x 18 x 65	2	1599.00

VERTICAL DRUM STORAGE CABINET

- Safely stores up to two drums, easy glide rollers for convenient drum access
- Half-depth shelf allows additional storage
- Double-wall 18-gauge welded steel construction with 1-1/2" air space
- Dual 2" capped vents with flame arre
- Includes two polyethylene trays
- Drum Capacity (US): 2-55 gallons
- Door Type: 2 doors, manual with drum rollers
- Standard(s) Met: NFPA/OSHA/FM





Model	Cap.	Dimensions	No. of	Promo
No.	gal.	W" x D" x H"	Drums	Price
SGC540	110	59 x 34 x 65	2	3699.00

MELTBLOWN SORBENT PADS

- 100% meltblown polypropylene fibre
- Quick and effective solution for oil spills or leaks

 All sorbent pads have absorption capacities of more than 25x their weight

Spill Type: Oil Only

• Qty/Pkg.: 100





Model			Dim.		Absorbency	Promo
No.	Weight	Ľ"	x	W"	/Pkg.	Price
SEH942	Heavy	15	Х	17	30 gal.	56.99/Pkg.
SEH944	Medium	15	X	17	25 gal.	56.39/Pkg.

5-GALLON ECONOMY SPILL KITS

- Contains:
 - 10 Sorbent Pads, 15" x 17"
 - 1 Sorbent Sock, 3" x 48"
 - 1 Pair Nitrile Gloves, XL (10)
 - 1 Disposal Bag, 26" x 36"





Model No.	Spill Type	Promo Price
SEI265	Universal	45.99
SEI266	Oil Only	40.99

55-GALLON SPILL KITS

• Contains:

1 55-gallon black polyethylene drum

50 sorbent pads, 15" x 17"

5 sorbent socks, 3" x 48"

3 sorbent socks, 3" x 120"

1 rain cover, 36" x 36"


1 pair of nitrile gloves, X-Large

2 microporous coveralls, X-Large

1 pair of safety goggles

3 disposal bags, 26" x 36"





POLY-OVERPACK® 20 SALVAGE DRUM

- Versatile unit that can directly contain solids and sludge's with security
- Ergonomically designed with a 1/2-turn lid, allows for easy access
- Accepts bottles, cans and 5 gallon pails
- Nestable for compact shipment and storage
- Stationary

SEH942

- Exterior Dimensions: 22.5" top dia. x 18" bottom dia. x 19" H
- Interior Dimensions:
 21.6" top dia. x 17.25" bottom dia. x 17.4" H
- Capacity: 20 US Gal.
- Load Bearing Capacity: 166 lbs.





Model	MFG	Promo
No.	No.	Price
SAG189	1220-YE	149.00

SPILL SCOOTER™

 Provides secondary containment for incidental spills and drips that often occur during vertical dispensing applications

 Incidental spills and drips are contained in the well with a spout for easy draining

- Fits all drums up to 55-gallons
- Made of 100% polyethylene, will not rust or corrode
- Dimensions: 35" dia. x 9" H
- Spill Capacity: 11 US gal.
- Load Capacity: 500 lbs.
- Interior Dimensions:
 27.25" dia. x 5.5" H





Model	MFG		Promo
No.	No.	Description	Price
SB767	5205-YE	Spill Scooter™	389.00
SC554	5206-BK	T-Handle	112.00

POLY-SLIM-LINETM 6000 SPILL PALLETS

• Features a low 12" profile and a handling capacity of 6000 lbs.

- Removable grates
- Forkliftable
- Regulations: EPA 40 CFR 264.175, SPCC, NPDES and UFC
 - Dim.: 54" L x 54" W x 12" H
 - Spill Capacity: 66 US gal.
 - Load Capacity: 6000 lbs.
 - No. of Drums: 4



SE409





Model	MFG	Description	Promo
No.	No.		Price
SE409	5400-YE-D	With Drain	495.00
SE408	5400-YE	Without Drain	469.00
POLY-RAI		Allows for easy loading of pallets	E90.00
SAQ186	5039-BK	Allows for easy loading of pallets	589.00

SEI196



LIGHT INDUSTRIAL AIR CIRCULATING FANS

- All-metal construction, with densely chrome-plated guard
 - 6' SJT power cord
 Open mater
 - Open motor
 - Voltage: 120 V



Model				CFM		Promo
No.	Description	HP	High	Med	Low	Price
OSCILLA	TING, 3 SPEEDS	;				
EA282*	26" Pedestal	1/4	7525	6060	4050	300.00
EA283*	30" Pedestal	1/3	8775	7500	6780	407.00
EA284	26" Wall Mount	1/4	7525	6060	4050	260.00
EA654	30" Wall Mount	1/3	8775	7500	6780	267.00

^{*}Features adjustable height and a heavy-duty round base for added stability

LIGHT INDUSTRIAL DIRECT-DRIVE DRUM FANS

- 120 V/60 Hz
- All-metal construction
- 6' SJT type power cord
- EA778: 360° vertical tilt angle



Model



No.	Dia."	HP	High	Med	Low	Price
2-SPEED	MOTOR,	6" CASTE	ERS WITH	HAND	DLE	
EA286	28	2/5	8050	-	6650	320.00
EA288	36	3/5	11 200	-	9100	493.00
3-SPEED MOTOR, 5" CASTERS WITH HANDLE						
FA778*	94	3/10	7770	6000	4500	196.00

^{*} Slim drum

24" ROLL-ABOUT FAN

- 3-speed, 1/5 HP, 120 V motor
- Cart-mounted fan for increased air circulation and optimal mobility
- Can be tilted/positioned to maximize ventilation
- Cart and frame configuration provides stable quiet operation
- 9.8' SJT power cord
- Open motor
- Non-oscillating



			•	•
Model		CFM		Promo
No.	High	Med	Low	Price
EA476	10760	7770	7040	393.00

LIGHT INDUSTRIAL AIR CIRCULATING FANS

• 120 V

- All-metal construction, with densely chrome-plated guard
- 6' SJT power cord
- Open motor



Model No.	Description	НР	High	CFM Med	Low	Promo Price
NON OS	CILLATING, 2 SPE	EDS				
EA657*	26" Pedestal	1/4	7700	-	6060	460.00
EA571*	30" Pedestal	1/3	8000	-	7000	373.00
EA655	26" Wall Mount	1/4	7700	-	6060	227.00
EA656	30" Wall Mount	1/3	8000	-	7000	247.00

^{*} Features adjustable height and a heavy-duty round base for added stability



HEAVY-DUTY OSCILLATING FANS


- 3-speed, 1/3 HP
- All-metal construction
- Pedestal model features adjustable height and heavy-duty round base for added stability
 - 9.8' SJT power cord
 - Diameter: 30"





Model			CFM		Promo
No.	Description	High	Med	Low	Price
EA666	Pedestal	13 200	7321	4758	750.00
EA667	Wall Mount	13 400	7805	5070	620.00

RECHARGEABLE INDOOR/OUTDOOR FAN



 Power indicator light equipped with 5 LED lights to indicate the battery gauge in every 20%

 USB charging port on the control box can be used to recharge digital devices

- Variable speed setting
- Duration time at low speed: 24 Hrs
- Duration time at high speed: 4 Hrs
- Type: Floor Voltage: 24 V
- Power: 25 W RPM: 1700
- Re-Charge time: 4-5 Hrs
- USB: 5 V, 1 A




Model	Dia"	CFM	Promo
No.		High	Price
EA828	12	1600	320.00

INDUSTRIAL-DUTY AIR CIRCULATING FANS

- 120 V
- All-metal construction
- EA643: Open motor
- 9.8' SJT power cord
- Stem length for pedestal: 89-124 cm
- No. of Speeds: 2
- Oscillating





Model			CF	М	Promo
No.	Description	HP	High	Low	Price
EA643*	24" Pedestal	1/4	11 800	7760	580.00
EA647*	30" Pedestal	1/3	13 200	6700	731.00
EA645	24" Wall Mount	1/4	11 500	7680	456.00
EA649	30" Wall Mount	1/4	10 780	7760	520.00

^{*} Features adjustable height and a heavy-duty round base for added stability

OSCILLATING PEDESTAL FANS

- 3-speed push button front control
- Adjustable height
- Rotating or fixed air direction
- Easy to assemble
- No. of Speeds: 3






Model No.	Diameter"	Min. Height"	Max. Height"	Promo Price
EA658	16	41	49	34.60
EA551	18	45	52	57.00




MOBILE 3-IN-1 AIR CONDITIONERS



on unit with remote control

- Equipped with casters
 - 24 hour timer
 - Window kit included
 - Colour: White
 - Voltage: 115 V
 - Frequency: 60 Hz

EB118





20" HIGH VELOCITY PEDESTAL FAN

- 3-speed, 120 V/60 Hz, 1/5 HP motor
 - All-metal construction
 - Chrome grill, black painted base
 - Head tilting capability of 360°
 - Adjustable height
 - 6' SJT type power cord



Model No.	High	CFM Med	Low	Promo Price
EA289	5950	4550	3850	160.00

OUTDOOR OSCILLATING PEDESTAL FAN

- Enclosed/Waterproof motor type (IP44)
- Features adjustable height and heavy-duty round base for added stability
- 9.5' power cord with UL GFCI plug
- All-metal construction, chrome grill stand and base painted black
- HP: 1/7
- Base Diameter: 27"
- Voltage: 120 V
- Diameter: 30"
- No. of Speeds: 3



Model No.	High	CFM Med	Low	Promo Price
EA779	7200	5470	3780	467.00

ELECTRONIC WINDOW HORIZONTAL AIR CONDITIONERS

- Fits a 14" x 23-36" window opening
- 3 fan speeds
- Washable filter
- Remote control included
- **Includes:** Window filler panel, mounting hardware
- Fits a 14" x 23-36" window opening
- Amps: 15 A
- Voltage: 115 V
- Energy Star Certification: EER 12.0



EB119

Model No.	Coverage sq.ft.	BTU Rating	Promo Price		
18-1/2" W	18-1/2" W X 15-11/16" D X 13-3/8" H				
EB119	300 - 350	8000	480.00		
19" W X 14-19/32" D X 21-13/32" H					
EB236	450 - 550	12000	527.00		

EMERGENCY BURN FIRST AID KIT

- Burn-Eze is good for all types of burn injuries
- Burn-Eze foam-gel is very concentrated for fast pain relief and to "cool" the burn quickly
- Burn-Eze protects the wound from contamination
- Burn-Eze Gel can be applied directly to the wound
- Container Type: 10-unit Plastic Box
- Medical Device Class: Class 2



THE THREE

Model	MFG	Promo
No.	No.	Price
SGA834	FAKBKEMR	49.95

FIRST AID KITS, TYPE 2

- CSA Kits are for use in Manitoba/New Brunswick/Newfoundland & Labrador/Northwest Territories & Nunavut/Ontario/Prince Edward Island/Quebec/Saskatchewan/Nova Scotia
- Kit Type: CSA Type 2 Low-Risk Environment
- Container Type: Metal Box
- Content Format: Bulk
- Medical Device Class: Class 2





Model	MFG		Container	Promo
No.	No.	Size	Type	Price
SGR345	FAKCSAT2SBM	Small	16-Unit	46.95
SGR341	FAKCSAT2MBM	Medium	36-Unit	74.95
SGR340	FAKCSAT2LBM	Large	40-Unit	99.95

9105S VFLEX™ PARTICULATE RESPIRATORS

- V-shaped pleats flex with mouth movement for easier talking and expand to help ease of breathing
- Uniquely designed tabs help position the respirator on the face
- Adjustable nose clip provides a custom fit and secure seal
- Fits small faces
- Certification(s): NIOSH
- Style: Flat Fold
- Exhalation Valve: Without
- Type: N95
- Qty/Box: 50



Model No.	MFG No.	Size	Promo Price
SED599	9105S	Small	39.99/Box
SED600	9105	Standard	39.99/Box

FIRST AID KITS, TYPE 3

- CSA Kits are for use in Manitoba/New Brunswick/Newfoundland & Labrador/ Northwest Territories & Nunavut/ Ontario/Prince Edward Island/Quebec/ Saskatchewan/Nova Scotia
- Kit Type: CSA Type 3 High-Risk Environment

- Container Type: Pouch
- Content Format: Bulk
- Medical Device Class: Class 2





Model No.	MFG No.	Size	Promo Price
SGR336	FAKCSAT3SBN	Small	59.95
SGR332	FAKCSAT3MBN	Medium	99.95
SGR333	FAKCSAT3LBN	Large	139.00

6000 SERIES FULL FACEPIECE REUSABLE RESPIRATORS



- provides user comfort, convenience, and ease of breathing
- Unique centre adapter directs exhaled breath and moisture downward
- Smooth surfaces allow for quick and easy cleaning
- 3MTM Cool FlowTM Exhalation Valve reduces heat and moisture build-up inside the facepiece, making breathing easier and providing cool, dry comfort
- NIOSH approved

Model

SE889

SE890

SE891

• Facepiece Material: Silicone/Thermoplastic/Elastomer





6000 SERIES HALF FACEPIECE REUSABLE RESPIRATORS

• Respirator combines comfort and convenience with easy-to-adjust, soft head straps

• Low profile respirator design does not interfere with wearing safety glasses

- Can be diassembled, cleaned and reused
- Replaceable cartridges and filters available
- Includes: reclosable storage bag
- Facepiece Material: Thermoplastic
- Standards:: NIOSH approved



Model No.	MFG No.	Size	Promo Price
SE886	6100	Small	18.69
SE887	6200	Medium	18.69
SE888	6300	Large	18.69

SED600